








10 9 8 7 6 5 4 3 2 1



- NOTES:
- MATERIAL:  
HOUSING: LCP, BLACK, UL94V-0;  
TERMINAL: COPPER ALLOY, THICKNESS: 0.15mm  
SHELL: STAINLESS STEEL, THICKNESS: 0.30mm
  - PLATING:  
TERMINAL: CONTACT AREA: GOLD FLASH (0.11 MICRON MINIMUM)  
OVER MINIMUM 0.75 MICRON Pd/Ni.  
SOLDER TAIL AREA: GOLD FLASH (0.05 MICRON MINIMUM).  
UNDER PLATING: NICKEL 2.0 MICRON MINIMUM.  
SHELL: MATTE TIN 1.27 MICRON MINIMUM.  
UNDER PLATING: NICKEL 1.27 MICRON MINIMUM.
  - TAIL COPLANARITY 0.08mm MAXIMUM.
  - PRODUCT SPECIFICATION: PS-47589-001.
  - PACKAGING SPECIFICATION: PK-47589-001.
  - COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV 2000/53/EC.

5	GND
4	ID
3	D+
2	D-
1	VBUS
PIN	NAME
PIN ASSIGNMENT	



REVISE PCB LAYOUT EC NO: SH2014-0449 DRWN:XZZHANG 2014/04/24 CHKD:XZZHANG 2014/04/24 APPR:XYIN 2014/06/06	QUALITY SYMBOLS F <sub>0</sub> =0 F <sub>0</sub> =0 F <sub>0</sub> =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
				DRAWN BY XJSONG	DATE 2007/03/15	TITLE			
				CHECKED BY JTIAN	DATE 2007/03/15				
				APPROVED BY JNCHEN	DATE 2007/03/15				
C	REV	ANGULAR ± 3 °		MATERIAL NO. 47590-0001		DOCUMENT NO. SD-47590-001		SHEET NO. 1 OF 1	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

9 8 7 6 5 4 3 2 1